

Name: _____

Date: _____

Score: _____

Best VPN for Debian Linux

Deploying secure VPN software and managing networking profiles on Debian distributions.

DEBIAN LINUX VPN SETUPS LEARNING OVERVIEW

LEARNER

STUDENT STATUS

Network Defender Track

SECURE

CONNECTION STATUS

Shielding data packets

100%

LEAK DEFENSE

DNS & IPv6 leak protection

Welcome! This activity packet guides you through Debian Linux VPN configurations. You will explore APT repository registrations, .deb packages, interfaces configurations, and resolvconf dynamic nameserver updates.

WORKSHEET CHECKPOINTS

- ☐ **Part 1-4:** Master VPN and network security configurations.
- ☐ **Part 5-7:** Solve crossword & word search puzzles.
- ☐ **Part 8-9:** Solve case studies & cipher challenge.
- ☐ **Part 10:** Review basic & advanced FAQ pages.
- ☐ **Part 11:** Explore 10 interesting real-world facts.

Open the VPN.com Best VPNs Guide

URL: <https://www.vpn.com/vpn/best-vpn-for-linux-debian/>

Your Debian Linux VPN Learning Roadmap

- Configure secure VPN connections using command-line interface utilities.
- Build firewall rules to prevent unencrypted public traffic leaks.
- Diagnose DNS resolution conflicts and enforce secure nameservers.

DEBIAN LINUX VPN SETUPS INSTRUCTIONS

Answer the multiple choice and true/false questions, complete the fill-in-the-blank sentences using the word bank, match definitions, and solve the crossword and word search puzzles. Apply your knowledge to APT repositories, dpkg, and resolvconf.

DEBIAN PACKAGE MANAGEMENT & RESOLVCONF CUSTOM RULES (INTRODUCTION)

Configuring VPNs on Debian systems involves retrieving secure packages from authorized APT repositories, deploying configurations under system-wide directories, and managing resolvconf and systemd-resolved to prevent DNS lookup leaks.

READ EACH CHECKPOINT CAREFULLY AND SELECT OR WRITE THE CORRECT RESPONSE.

Checkpoint 1: Multiple Choice Challenge

1 What is the measured speed of NordVPN on a Debian setup?

- ☐ A. 730 Mbps
- ☐ B. 580 Mbps
- ☐ C. 630 Mbps
- ☐ D. 695 Mbps

2 Which VPN provider maintains a signed APT repository with GPG keys for Debian?

- ☐ A. ExpressVPN
- ☐ B. ProtonVPN
- ☐ C. Surfshark
- ☐ D. Mullvad

3 Which Debian-compatible VPN protocol is natively included in mainline Linux kernel since Debian 11?

- ☐ A. Lightway
- ☐ B. WireGuard
- ☐ C. OpenVPN
- ☐ D. SSTP

4 Which VPN client registers a systemd service automatically during manual .deb installation?

- ☐ A. ExpressVPN
- ☐ B. NordVPN
- ☐ C. Surfshark
- ☐ D. Mullvad

5 What is the starting price for ProtonVPN's long-term plan?

- ☐ A. \$2.49/month
- ☐ B. \$3.49/month
- ☐ C. \$1.99/month
- ☐ D. \$5.50/month

Checkpoint 2: True or False Challenge

6 Question 6

WireGuard requires backports on Debian 10 Buster.

☐ True ☐ False

7 Question 7

ExpressVPN provides a full graphical user interface for Debian desktop.

☐ True ☐ False

8 Question 8

Deloitte audited NordVPN's no-logs policy in 2023.

☐ True ☐ False

9 Question 9

Surfshark requires a manual .deb install and has no signed APT repository.

☐ True ☐ False

10 Question 10

ProtonVPN has closed-source client code for Linux.

☐ True ☐ False

Checkpoint 3: Key Term Insertion

Read each sentence below and fill in the blank with the correct term from the Word Bank.

1. Debian packages are registered and fetched from an authorized online _____.
2. Software binaries are distributed and installed locally using the _____format.
3. Automatic DNS server management and caching is handled by _____.
4. Network interface parameters are traditionally defined under the /etc/network/ _____file.
5. A user-friendly firewall configuration wrapper on Debian is the _____.
6. Localized name resolution configurations are dynamically generated via _____utility.

VOCABULARY WORD BANK

APTREPOSITORY
UFWFIREWALL

DEBPACKAGE
RESOLVCONF

SYSTEMDRESOLV
TUNNEL

INTERFACES
IPROUTE

Write your answers here:

- | | | | |
|----|----------------------|----|----------------------|
| 1. | <input type="text"/> | 2. | <input type="text"/> |
| 3. | <input type="text"/> | 4. | <input type="text"/> |
| 5. | <input type="text"/> | 6. | <input type="text"/> |

Checkpoint 4: VPN & Network Concept Match

DEFINITION MATCHING

Match each vocabulary term on the left with its correct definition on the right by writing the corresponding letter (A-H) in the fillable input box.

APTREPOSITORY

G

Point-to-point interface encrypting network packet egress pathways.

DEBPACKAGE

F

System script that manages nameserver entries inside resolv.conf.

SYSTEMDRESOLV

E

Simplified firewall management tool wrapping iptables configuration.

INTERFACES

B

Debian-specific archive containing software installation binaries.

UFWFIREWALL

H

Networking command-line utility used to manage route configurations.

RESOLVCONF

D

Core configuration directory registering local hardware interfaces.

TUNNEL

A

Remote server repository providing verified software updates and sources.


IPROUTE

C

System daemon managing local DNS server resolution variables.

Checkpoint 5: Crossword Puzzle

Solve the crossword puzzle by typing letters into the active white boxes. The numbers correspond to the clues below.



ACROSS

1. Process of wrapping data packets inside other packets (9)
4. Remote server that routes traffic and hides your IP (6)
8. Internet Service Provider, logs traffic unless encrypted (3)

DOWN

2. Rules determining how data is sent and encrypted (8)
3. Rate of data transfer across a path (9)
5. Blocking site access based on location (8)
6. Security system that monitors and blocks traffic (8)
7. State of being free from tracking or surveillance (7)

Checkpoint 5 Alternative: Accessible Crossword Clues

Screen-reader and keyboard users can type the crossword answers directly in the text fields below.

ACROSS CLUES

1 Across: Secure encapsulation method that routes console packet traffic. (9) (9 letters):

4 Across: Remote gaming host node that you connect to for lobbies. (6) (6 letters):

8 Across: Broadband service provider whose throttling policies you bypass. (3) (3 letters):

DOWN CLUES

2 Down: Handshake rules (such as OpenVPN) running on a compatible router. (8) (8 letters):

3 Down: Data capacity limits monitored on your home router during play. (9) (9 letters):


5 Down: Regional restriction that prevents accessing specific marketplace items. (8) (8 letters):

6 Down: Network shield that can block game ports and cause strict NAT. (8) (8 letters):

7 Down: Freedom from DDoS threats and online packet tracking while online. (7) (7 letters):

Checkpoint 6: Hidden Word Search

Find the 8 key vocabulary terms hidden in the grid below. Words can be horizontal, vertical, or diagonal.



VOCABULARY WORD LIST

APTREPOSITORY
UFWFIREWALL

DEBPACKAGE
RESOLVCONF

SYSTEMDRESOLV
TUNNEL

INTERFACES
IPROUTE

Checkpoint 6 Alternative: Accessible Vocabulary Matching

Match each of the 8 vocabulary terms from the Word Search to its correct definition by writing the letter (A-H) in the blank space.

VOCABULARY TERMS

- A. APTREPOSITORY
- B. DEBPACKAGE
- C. SYSTEMDRESOLV
- D. INTERFACES
- E. UFWFIREWALL
- F. RESOLVCONF
- G. TUNNEL
- H. IPROUTE

DEFINITIONS & MATCH FIELDS

- 1. Remote server repository providing software updates.
- 2. Debian-specific archive containing software binaries.
- 3. System daemon managing local DNS server resolution.
- 4. Core configuration directory registering interfaces.
- 5. Simplified firewall management tool wrapping iptables.
- 6. System script that manages nameserver entries.
- 7. Point-to-point interface encrypting egress pathways.
- 8. Networking command-line utility used to manage routes.

Checkpoint 7: Scrambled Word Challenge

Unscramble the letters below to reveal key Virtual Private Network (VPN) concepts and terms. Write your answers in the input boxes provided.

1. PTREPOSITORYA

5. FWFIREWALLU

2. EBPACKAGED

6. ESOLVCONFR

3. YSTEMDRESOLVS

7. UNNELT

4. NTERFACESI

8. PROUTEI

Checkpoint 8: VPN & Network Case Studies

Apply the concepts you have learned to solve the real-world scenarios below.



CASE STUDY 1: DEBIAN SERVER DEPLOYMENT

Scenario: A system engineer is deploying a Debian 12 virtual server that needs a secure tunnel to an external database node.

Discussion Question: What package management steps and interface commands are required to install and start WireGuard?



CASE STUDY 2: RESOLVING DNS LEAKS ON DEBIAN

Scenario: A desktop user notices that their resolv.conf is pointing to their local router instead of the VPN DNS server after starting a connection.

Discussion Question: How do you correct the resolvconf setup to enforce secure nameserver priorities?

Final Challenge: Decrypting the Cipher

A network engineer secures routing channels and client tunnels. Use the Letter-to-Number key below to decrypt the message by writing the matching letters in the blank spaces.

LETTER-TO-NUMBER ENCRYPTION KEY

A=1	B=2	C=3	D=4	E=5	F=6	G=7	H=8	I=9	J=10	K=11	L=12	M=13
N=14	O=15	P=16	Q=17	R=18	S=19	T=20	U=21	V=22	W=23	X=24	Y=25	Z=26

4	5	2	9	1	14	19	20	1	2	12	5	18	21	14	19		
14	1	20	9	22	5	23	9	18	5	7	21	1	18	4	22	16	14
3	15	14	14	5	3	20	9	15	14	19							

Decoded cybersecurity message:

TIP: EACH NUMBER REPRESENTS THE POSITION OF THAT LETTER IN THE ALPHABET (E.G. 1 = A, 2 = B, 26 = Z).

Checkpoint 10: Basic VPN FAQs (Part A)

Review the most common questions and answers regarding Virtual Private Networks (VPNs) and tunneling.

Q1: How do I install OpenVPN on Debian?

Execute 'sudo apt install openvpn' to retrieve the package from official Debian repositories.

Q2: What package format does Debian use?

Debian uses the .deb package format, managed via dpkg or apt utilities.

Q3: Where is the main interface configuration file?

Hardware interfaces are traditionally configured in /etc/network/interfaces on Debian hosts.

Q4: How do I enable UFW on Debian?

Run 'sudo apt install ufw' and execute 'sudo ufw enable' to activate the firewall.

Q5: What is resolvconf on Debian?

A system package that manages dynamic changes to /etc/resolv.conf from different network interfaces.

Checkpoint 10: Basic VPN FAQs (Part B)

Review the most common questions and answers regarding Virtual Private Networks (VPNs) and tunneling.

Q6: Is WireGuard supported on Debian Stable?

Yes, WireGuard is supported natively in Debian's official kernel releases.

Q7: How do I check active network adapters?

Use the 'ip link show' command to display all local physical and virtual interfaces.

Q8: How do I start OpenVPN manually?

Execute 'sudo systemctl start openvpn@client' referencing your client.conf configuration file.

Q9: What is the Debian backports repository?

A repository providing newer package versions for the stable Debian release.

Q10: Does Debian enable a default firewall?

Debian does not enable a firewall by default; users must install and configure UFW or iptables.

Checkpoint 11: Advanced VPN FAQs (Part A)

Explore advanced technical aspects of VPN tunneling protocols, mobile client integrations, and enterprise deployment.

Q1: How do I configure a UFW killswitch on Debian?

Run 'ufw default deny outgoing', then allow traffic targeting the VPN server IP and the tun0 interface.

Q2: How do I resolve DNS conflicts with systemd-resolved?

Ensure the systemd-resolved service is active and configure /etc/resolv.conf as a symlink to stub-resolv.conf.

Q3: How do I compile custom VPN drivers on Debian?

Install 'build-essential' and kernel headers, then run make to compile source code archives.

Q4: What is the purpose of the openvpn-debian package wrapper?

It provides Debian-specific helper scripts to manage name resolutions and status daemons smoothly.

Q5: How do I route specific subnets through VPN on Debian?

Add static route rules using the 'ip route add' command targeting the virtual interface name.

Checkpoint 11: Advanced VPN FAQs (Part B)

Explore advanced technical aspects of VPN tunneling protocols, mobile client integrations, and enterprise deployment.

Q6: How do I check for package updates on Debian?

Run 'sudo apt update' to refresh package indexing lists from registered sources.

Q7: How do I inspect SELinux contexts on Debian?

Install selinux-basics, and run 'sestatus' to verify if security frameworks are enforcing rules.

Q8: How do I configure NetworkManager via console?

Use the 'ncli' command-line utility to configure and activate connection profiles.

Q9: What is the correct location for systemd custom overrides?

Deploy configuration overrides in files under /etc/systemd/system/openvpn@.service.d/ folder.

Q10: How do I verify the integrity of downloaded .deb files?

Use dpkg-sig or verify MD5/SHA checksums against official releases before installation.

Part 11: 10 Real-World VPN Facts & Insights

Review real-world facts regarding VPN encryption speeds, protocol audits, mobile connectivity, and enterprise remote work.

1. VPN INSIGHT

Debian Stable provides highly conservative package updates, prioritizing stability over bleeding-edge features.

2. VPN INSIGHT

Network connection interfaces are managed by systemd unit files on modern Debian installations.

3. VPN INSIGHT

UFW provides a simplified command syntax to deploy complex network packet filtering tables.

4. VPN INSIGHT

resolvconf manages nameserver addresses from multiple DHCP adapters dynamically.

5. VPN INSIGHT

The apt package manager automates downloading and installing kernel-level WireGuard modules.

6. VPN INSIGHT

Debian's main package repository contains fully open-source VPN configurations and client binaries.

7. VPN INSIGHT

Virtual network tunnels are created using standard tunnel driver modules in the kernel.

8. VPN INSIGHT

SELinux contexts can be configured on Debian to isolate running connection daemons.

9. VPN INSIGHT

Debian Backports enables users to install newer VPN packages on older stable cores.

10. VPN INSIGHT

The interfaces file allows users to specify custom pre-up and post-down script triggers.

Technical References & Sources

The study guide and interactive puzzles are compiled from global technical standards, specifications, and regulatory frameworks.

SCHOLARLY & INDUSTRY REFERENCES

- [1] Debian Project. (2026). Debian Network Configuration Manual. Retrieved from <https://www.debian.org/doc/manuals/debian-reference/ch05.en.html>
- [2] Debian Wiki. (2026). WireGuard Installation and Setup. Retrieved from <https://wiki.debian.org/Wireguard>
- [3] Debian Wiki. (2026). resolvconf utility configuration. Retrieved from <https://wiki.debian.org/Resolvconf>
- [4] IETF RFC 7296: Internet Key Exchange Protocol. Retrieved from <https://datatracker.ietf.org/doc/rfc7296/>
- [5] WireGuard Protocol and Tooling Manual. Retrieved from <https://www.wireguard.com/>
- [6] systemd-resolved System DNS Resolver Manual. Retrieved from <https://www.freedesktop.org/software/systemd/man/latest/systemd-resolved.html>
- [7] Netfilter iptables Documentation Project. Retrieved from <https://www.netfilter.org/documentation/>
- [8] OpenVPN Community CLI Reference Guide. Retrieved from <https://openvpn.net/community-resources/>
- [9] IETF RFC 768: User Datagram Protocol. Retrieved from <https://datatracker.ietf.org/doc/rfc768/>
- [10] IETF RFC 793: Transmission Control Protocol. Retrieved from <https://datatracker.ietf.org/doc/rfc793/>

Answer Key: Checkpoint 1 - Multiple Choice

1 Debian Speed

730 MBPS

Correct Answer: A

TEACHING NOTE

NordVPN averages 730 Mbps on Debian configurations, providing optimal throughput for servers.

Citation: NordVPN Debian [Ref 1].

2 Signed APT Repo

PROTONVPN

Correct Answer: B

TEACHING NOTE

ProtonVPN hosts a signed APT repository with GPG keys for clean system package integration on Debian.

Citation: ProtonVPN Repo [Ref 5].

3 WireGuard Kernel

WIREGUARD

Correct Answer: B

TEACHING NOTE

WireGuard is included directly in the mainline Linux kernel since Debian 11, running in kernel space.

Citation: Debian WireGuard [Ref 2].

4 Systemd Service

NORDVPN

Correct Answer: B

TEACHING NOTE

NordVPN's dedicated .deb package registers a systemd service unit automatically during installation.

Citation: NordVPN Services [Ref 1].

5 Proton Price

\$2.49 MONTHLY

Correct Answer: A

TEACHING NOTE

ProtonVPN offers pricing starting at \$2.49 per month for its long-term secure subscriptions.

Citation: Proton Pricing [Ref 5].

Answer Key: Checkpoint 2 - True or False

6 Buster Backports

DEBIAN 10

Correct Answer: True

TEACHING NOTE

Older Debian 10 Buster systems require enabling the backports repository to install the WireGuard module.

Citation: Debian Backports [Ref 2].

7 CLI Interface

NO GUI

Correct Answer: False

TEACHING NOTE

ExpressVPN does not provide a graphical desktop app for Debian, operating via command line.

Citation: ExpressVPN Debian [Ref 6].

8 No-Logs Audit

DELOITTE

Correct Answer: True

TEACHING NOTE

NordVPN's zero-logs logging claims were independently audited and verified by Deloitte in 2023.

Citation: NordVPN Audit [Ref 1].

9 Manual .deb Install

SURFSHARK

Correct Answer: True

TEACHING NOTE

Surfshark does not maintain a signed APT repository, requiring manual .deb downloads.

Citation: Surfshark Install [Ref 8].

10 Open Source Client

PROTONVPN

Correct Answer: False

TEACHING NOTE

ProtonVPN's Linux client application code is completely open-source and publicly audited.

Citation: Proton Open Source [Ref 5].

Vocabulary Keys & Grading Rubric

Instructor Grading Rubric: Award 1 point for each correct matching (8 points total) and context term (6 points total).

CHECKPOINT 4: CONCEPT MATCH KEY

A APTREPOSITORY

B DEBPACKAGE

C SYSTEMDRESOLV

D INTERFACES

E UFWFIREWALL

F RESOLVCONF

G TUNNEL

H IPROUTE

CHECKPOINT 3: KEY TERM KEY

1 APTREPOSITORY

2 DEBPACKAGE

3 SYSTEMDRESOLV

4 INTERFACES

5 UFWFIREWALL

6 RESOLVCONF

DISCUSSION NOTES FOR INSTRUCTORS

Valuation Accuracy:

Verify that students understand how domain length, extension (.com, .ai), and commercial search volume drive appraisal pricing.

Escrow Security:

Emphasize that funds are held in licensed third-party holding accounts prior to domain WHOIS transfer verification.

Stealth Representation:


Highlight the role of NDAs and third-party representation in preventing speculative price gouging during corporate procurement.

Puzzles Keys & Instructor Notes

WORD SEARCH SOLUTION

P	W	T	I	D	N	Z	R	O	Y	Z	W	J	V
O	A	P	T	R	E	P	O	S	I	T	O	R	Y
B	M	U	K	C	B	J	J	K	P	A	M	P	V
G	N	J	I	Q	P	W	A	Z	R	P	X	T	X
D	E	F	P	I	A	I	I	J	O	S	C	D	R
Z	P	O	R	I	C	M	G	W	U	H	L	B	Z
J	W	E	D	A	K	V	Y	K	T	C	L	P	H
P	C	N	I	W	A	V	H	R	E	S	B	Y	V
A	W	L	V	B	G	K	L	F	X	F	A	V	D
X	Y	O	R	C	E	Z	F	K	H	B	Q	G	N
F	E	B	E	R	E	S	O	L	V	C	O	N	F
U	F	W	F	I	R	E	W	A	L	L	Z	M	W
K	Y	S	Y	S	T	E	M	D	R	E	S	O	L
D	K	X	I	N	T	E	R	F	A	C	E	S	S
P	K	Y	X	U	B	T	U	N	N	E	L	C	X

CROSSWORD SOLUTION



INSTRUCTOR GUIDE FOR CROSSWORD SOLUTIONS

ACROSS CLUES

- 1 Across:** TUNNELING Process of wrapping data packets. (3, 5)
- 4 Across:** SERVER Remote computer routing traffic. (1, 0)
- 8 Across:** ISP Internet Service Provider. (1, 9)

DOWN CLUES

- 2 Down:** PROTOCOL Rules determining data transmission. (0, 5)
- 3 Down:** BANDWIDTH Rate of data transfer. (1, 7)
- 5 Down:** GEOBLOCK Location website restriction. (0, 1)
- 6 Down:** FIREWALL Security monitor barrier. (0, 9)
- 7 Down:** PRIVACY State of freedom from tracking. (1, 11)

Scrambled Words & Cipher Solution Key

Grading key for the vocabulary word unscramble activity and Secret Cipher Challenge.

WORD UNSCRAMBLE KEY

1. PTREPOSITORYA

APTREPOSITORY

5. FWFIREWALLU

UFWFIREWALL

2. EBPACKAGED

DEBPACKAGE

6. ESOLVCONFR

RESOLVCONF

3. YSTEMDRESOLVS

SYSTEMDRESOLV

7. UNNELT

TUNNEL

4. NTERFACESI

INTERFACES

8. PROUTEI

IPROUTE

SECRET CIPHER CHALLENGE KEY

"DEBIAN STABLE RUNS NATIVE WIREGUARD VPN CONNECTIONS"

VPN & Network Case Studies Solution Key

A Case Study 1: Debian Server Deployment

[Instructor Solution](#)

GRADING GUIDELINE

Student answers should cover the following points:

- **Scenario Analysis:** A system engineer is deploying a Debian 12 virtual server that needs a secure tunnel to an external database node.
- **Recommended Strategy & Solution:** Run `apt update`, install wireguard via `apt-get`, deploy `wg0.conf` to `/etc/wireguard/`, and run `systemctl enable --now wg-quick@wg0`.

B Case Study 2: Resolving DNS Leaks on Debian

[Instructor Solution](#)

GRADING GUIDELINE

Student answers should cover the following points:

- **Scenario Analysis:** A desktop user notices that their `resolv.conf` is pointing to their local router instead of the VPN DNS server after starting a connection.
- **Recommended Strategy & Solution:** Install `resolvconf`, append `dns-nameservers` directives to the interfaces configuration, or configure `systemd-resolved` to intercept public queries.